


SPECIFICATIONS: NOTE ①

LOAD Z	LOW PASS	CROSS OVER	HIGH PASS	ATTENUATION
8	800HZ	3 KHZ	12 KHZ	
	LF -8			
	HF -13	HF -7	HF -5	VAR

CIRCUIT:



NOTES:

- ① USE STANDARD TEST FIXTURE

F	5-76
E	1-76

NETWORK SERVICE BULLETIN




MODEL N200B

COMPONENT LAYOUT

SPECIFICATIONS: NOTE ①

LOAD Z	LOW PASS	CROSS OVER	HIGH PASS	ATTENUATION


CIRCUIT:




NOTES:

① USE STANDARD TEST FIXTURE


THIS DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF JAMES B. LINDSEY BROS. INC. THEY ARE LOANED TO STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED AS THE BASIS FOR MANUFACTURE OR SALE OF IMPROVED OR OTHER EQUIPMENT.




DETAIL A-A  
SCALE 2 | 1  
TYP. 4 PLCS



NETWORK CAN ASSY  
SCALE 1/2



COMPONENT ASSY  
SCALE 1 | 1



L-PAD AND MTG. BD.  
SCALE: 1 | 1

ITEM	REF DES	PART NO.	DESCRIPTION	QTY
1		55324	MOUNTING BOARD MRD 50291	1
2		51204	THRD RIVET B-32	4
3		53673	POP RIVET	6
4		55325	TERMINAL STRIP	2
5	C1,C2,C7	10434	CAPACITOR, 12 MFD	4
6	C3,C4,C5	10356	CAPACITOR, 16.5 MFD	3
7	C8	53791	CAPACITOR, 1.0 MFD, MRD 53903	1
8	R2	13201	RESISTOR, 2.5 OHM, 10W, MRD 35491	1
9	R3,R5	13205	RESISTOR, 5 OHM, 10W, MRD 35491	2
10	R4	13206	RESISTOR, 20 OHM, 10W, MRD 35491	1
11	R1	13204	RESISTOR, 7.5 OHM, 10W, MRD 35491	1
12	L1	48565	INDUCTANCE COIL 2.2 mH	1
13	L2	55329	INDUCTANCE COIL 0.8 mH	1
14	L3	50344	INDUCTANCE COIL 0.16 mH	1
15		48257	MOUNTING BOARD MRD 50291	1
16		52259	THRD RIVET 6-32	4
17		55326	NETWORK CAN	1
18		55327	CABLE, 3 WIRE 30" LONG	1
19		52192	KNOB, BLK MRD 52191	1
20		55328	FOILCAL MRD 41163	2
21		50428	BUSHING	1
22		55333	WIRE, GRN, 24" MRD 55366	1
23		55332	WIRE, BLK, 24" MRD 55366	1
24		55330	WIRE, RED, 18" MRD 55366	1
25		55331	WIRE, BLK, 18" MRD 55366	1
26		55335	WIRE, BLK WHT, 30" MRD 55366	1
27		55334	WIRE, RED, 30" MRD 55366	1
28		35358	CABLE TIE	A/R
29		10298	WIRE, SOLID, 20G, 2   12"	1
30		51594	L F I D, 16 OHM, 30W	1
31		50473	TERMINAL, MALE	1
32		50289	TERMINAL, FEMALE	1
33		50182A	ADHESIVE, HOT MELT	A/R

5. ALL WIRE RUNS TO CLEAR RESISTORS. NO. 14 IS IMMEDIATELY OVER ONE UNDER RESISTORS.
- ITEM 28 CABLE TIE AROUND ITEMS 13, 22 THRU 27 APPROX 2/8" HEIGHT ABOVE ITEM 1, INSIDE ITEM 17.
3. SECURE ITEMS 5, 6, 12, 13, 14, TO ITEM 1 WITH ITEM 33.
- KNOB TO BE INSTALLED AS SHOWN WHEN SHAFT OF ITEM 30 IS ROTATED TO FULL "C.C.W." POSITION
1. FOR TEST SPECS. SEE 55319 REF.

NOTES:

REV	DATE	BY	APP	DESCRIPTION
1				REL FOR PROD

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY	DATE
FRAC. DEC. DIMS. TO 0.0005	CHUCK	
DECIMALS	FRAC. DEC. DIMS. TO 0.0005	ANGULAR
1/16	1/32, 1/64, 1/128	D
1/32		
1/64		
1/128		
1/256		
1/512		
1/1024		
1/2048		
1/4096		
1/8192		
1/16384		
1/32768		
1/65536		
1/131072		
1/262144		
1/524288		
1/1048576		
1/2097152		
1/4194304		
1/8388608		
1/16777216		
1/33554432		
1/67108864		
1/134217728		
1/268435456		
1/536870912		
1/1073741824		
1/2147483648		
1/4294967296		
1/8589934592		
1/17179869184		
1/34359738368		
1/68719476736		
1/137438953472		
1/274877906944		
1/549755813888		
1/1099511627776		
1/2199023255552		
1/4398046511104		
1/8796093022208		
1/1759218044416		
1/3518436088832		
1/7036872177664		
1/14073744355328		
1/28147488710656		
1/56294977421312		
1/112589954842624		
1/225179909685248		
1/450359819370496		
1/900719638740992		
1/1801439277481984		
1/3602878554963968		
1/7205757109927936		
1/14411514219854872		
1/28823028439709744		
1/57646056879419488		
1/115292113758838976		
1/230584227517677952		
1/461168455035355904		
1/922336910070711808		
1/1844673820141423616		
1/3689347640282847232		
1/7378695280565694464		
1/1475739056113138928		
1/2951478112226277856		
1/5902956224452555712		
1/11805912448905111424		
1/23611824897810222848		
1/47223649795620445696		
1/94447299591240891392		
1/188894591182481782784		
1/377789182364963565568		
1/755578364729927131136		
1/151115672945984262272		
1/302231345891968524544		
1/604462691783937049088		
1/1208925383567874091776		
1/2417850767135748183552		
1/4835701534271496367104		
1/9671403068542992734208		
1/19342807137085984668416		
1/38685614274171969336832		
1/77371228548343938673664		
1/154742457096687873467296		
1/309484914193375746934592		
1/618969828386751493869184		
1/1237939656773502977393728		
1/2475879313547005954787456		
1/4951758627094011909574912		
1/9903517254188023819149824		
1/19807034508376047638299648		
1/39614069016752095276599296		
1/79228138033504190553198592		
1/158456276067083801106397184		
1/316912552134167602212794368		
1/633825104268335204425588736		
1/1267650208536670408851177472		
1/253530041707334081770354944		
1/507060083414668163544070888		
1/1014120166829336326881417776		
1/202824033365867265377283552		
1/405648066731734530754571104		
1/811296133463469061508914208		
1/162259226892693812301828416		
1/324518453785387624603656832		
1/649036907570775249207313664		
1/129807381514155049841467296		
1/259614763028310099682934592		
1/519229526056620199365869088		
1/1038459052113324039731178176		
1/2076918104226648079462356352		
1/4153836208453296158932512704		
1/8307672416906592317865025408		
1/16615344837813184635730050816		
1/33230689675626369271460101312		
1/66461379351252738542920202624		
1/132922758702505477085840405248		
1/265845517405010954171680810496		
1/531691034810021908343361621992		
1/1063382069620043816686723243936		
1/2126764139240086733373446487872		
1/4253528278480173466746892975744		
1/8507056556960346934897775951488		
1/17014113113920693869795551902976		
1/3402822622784138739599111045952		
1/6805645245568277479198222111104		
1/13611290491137549595996442222208		
1/27222580982275109191992884444416		
1/54445161964550218383985778888832		
1/10889032392910046776797155777764		
1/2177806478582009355359531155552		
1/43556129571640187107191063111104		
1/8711225914328037421421821222208		
1/1742245828656067484284364444416		
1/3484491657312134968568728888832		
1/696898331462426993733745777764		
1/139379662324485387746749155552		
1/278759324648970775493493111104		
1/557518649297941550986986222208		
1/1115037298595883101973972444416		
1/2230074597191766203947944888832		
1/446014919438353240789588977764		
1/89202983887670648157917795552		
1/178405967753341296315835511104		
1/356811935506682592631667122208		
1/713623871013365185262334244416		
1/1427247742026731705324684888832		
1/285449548405346341064496977764		
1/57089909681069268212899355552		
1/114179819362138536425798711104		
1/228359638724277072851595422208		
1/4567192774485541457031908444416		
1/9134385548971082914063816888832		
1/182687710979416578281217377764		
1/36537542195883315656243475552		
1/73075084391766631311286911104		
1/146150168735533262225738222208		
1/292300337471066524451474444416		
1/584600674942133048902948888832		
1/11692013498842660978059777764		
1/23384026997685321956119555552		
1/4676805399537064391239111104		
1/9353610799074128782478222208		
1/18707221598142575564956444416		
1/3741444319628515112991912888832		
1/748288863925703022598382577764		
1/1496577727451406045967651155552		
1/299315545490281209193530222208		
1/598631090980562418387060444416		
1/1197262181961124837641210888832		
1/239452436392224967528242177764		
1/47890487278444993485648435552		
1/95780974556889986971129111104		
1/191561951137779973942258222208		
1/383123902275559957884516444416		
1/766247804551119915777030888832		
1/153249560910239831555406177764		
1/30649912182047966311101355552		
1/61299824364095932622202711104		
1/12259964872819186444405422208		
1/245199297456383728889010844416		
1/49039859491276745777802177764		
1/98079718982553491555604355552		
1/196159437951106983111120911104		
1/392318875902213966222241822208		
1/78463775180442793244448444416		
1/156927550360885586488896888832		
1/31385510072177117297779377764		
1/62771020144354234595558755552		
1/125542040288708471191113511104		
1/25108408057741694238222622208		
1/50		