


KENWOOD

2001-2002 CAR ENTERTAINMENT SYSTEM



3DFL DIS-

Integration of our newly developed 3-D VF display is featured in certain D-Mask+ units. Thanks to the 4-level gray scale capability of each dot, imaging quality of characters, numbers, icons as well as the pre-installed F1 and Kenwood Cup video clips is greatly enhanced. The wide FL display uses 144x24 dots to dynamically display animated icons and scrolling characters, improving ease and enjoyment of operation. For easy installation, a DC-DC converter has been integrated in the chassis.



WHAT'S MP3?

With our expanded lineup of MP3 products, you can enjoy your favourite MP3 compilations with excellent sound quality. Kenwood's newly released products are compatible with ID-3 Tag (version 1) that enables the display of the song title and artist of each track. Available on KDC-MP6090R.



STEP 1

Fit 10 into 1

MP3!

By using MP3 encoder software on your PC, you can convert tracks on your music CDs into MP3 files approximately 1/10th the size of the original CD audio data. So you will be able to fit the music from 10 CDs onto a single CD-R/RW disc (650MB capacity). In other words, you can make original CDs with about 100 tracks for non-stop musical enjoyment. *1 *2

STEP 2

Get from the Net

MP3!

At a growing number of Websites all around the world, MP3 format music files are available for download. MP3 download sites range in diversity, from free music by indie groups to commercial download sites for your favourite pop star. Just adhere to the rules set by each site (e.g. payment and distribution) and get the tunes you want, to be enjoyed on your MP3 player. *2

*1: Assuming approx. 5 minutes per track, converted to MP3 at standard bit rate of 128 kbps, are recorded on 650 MB capacity CD-R/RW disc.
*2: Other than for personal listening enjoyment, the duplication or recording of copyrighted material onto disc or tape is strictly prohibited.

D MASK+ Kenwood MASK System with Detachable Faceplate

Since its' introduction in 1997, Kenwood's MASK has won high acclaim as an anti-theft system. Now at the dawn of a new century of car audio, we are introducing a new generation MASK-series called "D MASK+". While preserving the basic concept of a fully automatic self-revolving mechanism, the faceplate can also be detached for total safety. Of course, removal of the faceplate will be your choice. Now you can also adjust the "Stand-by" Delay Time from the D MASK+ head unit menu. As with the 1999 MASK models, panel angle adjustment is provided for improved visibility of the display according to your dashboard layout.



MASK KEY !



MASK faceplate is now detachable !!

D MASK Detachable MASK System for Everyone

Offering a simpler solution for the detachable MASK system, D MASK features manual detachment of the faceplate. With D MASK models, a simple "open" button opens the detachable faceplate. Like "D MASK+", you have the choice of either removing the faceplate or reversing the faceplate to close your head unit and completely hide it from view, inside the dashboard.



SYSTEM Q

As the successor to the highly evaluated D-boost system, System Q features significant improvements including 3-band (Bass, Midrange, and Treble) sound control capability with preset tone curves. In D-Mask+ models, users can control Q and centre frequency as well as select subwoofer type. Five preset curves are integrated in all head units, and in some models, user preset memory is also available. The convenient "speaker-type matching function" featured in the D-boost system is also available with System Q.



Variable Illumination

Using controllable Red, Green, and Blue LEDs, the display back light colour can be selected and matched to the colour of your car's instrument panel. For facility of operation, 4 colours (white, red, blue, and blue-green) are preset at the factory. The manual setting enables display of a total of 67 colours. Custom colour settings can also be stored in memory.



TIME ZONE MODE



Red 6:00 - 12:00 Yellow 12:00 - 18:00
Light Blue 18:00 - 0:00 Blue 0:00 - 6:00

SOURCE MODE



Blue CD White Tuner
Blue Green CD Changer Red Tape


Expander Function



With the aim of expanding the dynamic range, KAC-929 features an expander circuit that controls output level according to the input signal strength prior to the power amplification stage. For the listener, the result is an output signal with more punch and dynamics. This function delivers even effectiveness throughout the whole frequency range.

B.M.S B.M.S. with Remote Control Capability

The B.M.S. (Base Management System) greatly enhances the bass control effect and its' operation. The parametric equaliser with adjustable boosting level (+6 dB/+12 dB) effectively boosts the low-frequency range from 50 Hz to 100 Hz. When used together with a compatible head unit, you can control it from the head unit for greater convenience.



PBO

Designed specifically for the deliver of extra-high power of up to 1,000W, the dB+ woofer employs a PBO cone diaphragm that features faster propagation speed and excellent internal loss as well as greater stability. The rubber surround and rigid basket further enhance stability while the spiral vented pole piece and AFC spider greatly improve linearity and efficiency.



The same design concept is also applied to the new full-range speakers. KFC-HQ167DB and KFC-HQ137DB both employ this awesome PBO cone diaphragm. They also feature an aluminum bobbin voice coil to effectively suppresses unwanted resonance while improving heat radiation. With the new dB+ Series of full-range speakers, you can easily bring the experience of high-quality "true" bass into your car.



CD Receivers

KDC-PS9590R

CD Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 Piano Black Finish
 50Wx4 MAX POWER
 3 RCA PRODUCTS
 4.5V PRODUCTS
 DUAL ZONE
 RDS RADIO TEXT
 K31
 MASK KEY
 Supplied remote unit

KDC-9090R

CD Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 50Wx4 MAX POWER
 2 RCA PRODUCTS
 4.5V PRODUCTS
 DUAL ZONE
 RDS RADIO TEXT
 K31
 MASK KEY
 Supplied remote unit

KDC-8090R

CD Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 50Wx4 MAX POWER
 2 RCA PRODUCTS
 DUAL ZONE
 RDS RADIO TEXT
 K31
 MASK KEY
 Supplied remote unit

KDC-7090R

CD Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 WHITE LED
 47Wx4 MAX POWER
 2 RCA PRODUCTS
 RDS RADIO TEXT
 K31
 MASK KEY
 Supplied remote unit

KDC-MP6090R

CD Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 WHITE LED
 47Wx4 MAX POWER
 2 RCA PRODUCTS
 RDS RADIO TEXT
 K31
 TDS
 10000000

KDC-6090R

CD Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 WHITE LED
 47Wx4 MAX POWER
 2 RCA PRODUCTS
 4.5V PRODUCTS
 RDS RADIO TEXT
 K31

KDC-5090R

CD Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 WHITE LED
 47Wx4 MAX POWER
 2 RCA PRODUCTS
 RDS RADIO TEXT
 K31

KDC-4590R

CD Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 WHITE LED
 45Wx4 MAX POWER
 2 RCA PRODUCTS
 RDS

KDC-3090RA

CD Receiver with RDS



DMASK
3DFL
 TDF
 System
KRC-3090RG
 45Wx4 MAX POWER
 1 RCA PRODUCTS
 RDS

Cassette Receivers

KRC-PS979R

Cassette Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 Piano Black Finish
 50Wx4 MAX POWER
 3 RCA PRODUCTS
 4.5V PRODUCTS
 DUAL ZONE
 DOLBY B/C
 RDS RADIO TEXT
 K31
 MASK KEY
 Supplied remote unit

KRC-779R

Cassette Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 47Wx4 MAX POWER
 2 RCA PRODUCTS
 RDS RADIO TEXT
 K31
 MASK KEY
 Supplied remote unit

KRC-579R

Cassette Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 45Wx4 MAX POWER
 2 RCA PRODUCTS
 RDS RADIO TEXT
 K31

KRC-379R

Cassette Receiver with RDS and CD/MD Changer Control



DMASK
3DFL
 TDF
 System
 40Wx4 MAX POWER
 1 RCA PRODUCTS
 FULL LOGIC
 RDS

KRC-179RA

Cassette Receiver with RDS



DMASK
3DFL
 TDF
 System
KRC-179RG
 40Wx4 MAX POWER
 1 RCA PRODUCTS
 RDS

MD Receivers

KMD-PS971R

MD Receiver with RDS / MD Changer Control



KMD-673R

MD Receiver with RDS / MD Changer Control



Slave Units

KMD-D401

1-DIN Size 3+1 MD Changer



KDC-D301

1-DIN Size 3+1 MD Changer



KGC-9044

1-DIN Size 3+1 MD Changer



Graphic Equalizers & Crossover

KGC-6042A

9-Band Graphic /2-Band Parametric Equalizer



KGC-4042A

5-Band Graphic Equalizer



KGC-4032

9-Band Graphic Equalizer with Amplifier



KEC-600

6-way Electronic Crossover Network



KEC-202

2/3-way Electronic Crossover Network



KEC-101

2-way Electronic Crossover Network



CD Changer

KDC-CPS87

10-Disc CD Changer with CD Text



KDC-C717

10-Disc CD Changer with CD Text



KDC-C667

6-Disc CD Changer with CD Text



KDC-C467

6-Disc CD Changer with CD Text



KDC-C467FM/FMA

CD Changer / Changer Controller Package (KDC-C467-KCA-R42FM/FMA)



Optional Colour Panels

Kenwood proposes personalization of car audio. Front panel and trim plate can be replaced with various colour choices to match the interior colour or the tastes of user. Replacement must be performed at an authorized Kenwood dealer for quality control reasons. Availability of colour choice and panel type varies as countries or areas. Please ask your local dealer for further details.

CA-979FW



for KDC-PS9590R
KDC-9090R
KDC-8090R
KRC-PS979R

CA-779FW

for KDC-7090R
KDC-V7090R
KRC-779R
KRC-V879R

CA-679FW

for KDC-6090R
KDC-5090R
KDC-V6090R
KRC-679R
KRC-579R
KRC-V679R

CA-479FW

for KRC-479R
KRC-379R
KRC-35R
KRC-29Y

▶ Changer Package

DD-7977R

(KDC-7090R+KDC-C717)



- D-MASK System
- DD-RW
- 47Wx4 MAX POWER
- 2 RCA PRESETS
- RDS
- CD TEXT
- 10 DISC

DD-5947R

(KDC-5090R+KDC-C467)



- D-MASK System
- DD-RW
- 45Wx4 MAX POWER
- 2 RCA PRESETS
- RDS RADIO TEXT
- CD TEXT
- 6 DISC

DD-4547RV

(KDC-4590RV+KDC-C467)



- TDF System
- DD-RW
- 45Wx4 MAX POWER
- 2 RCA PRESETS
- RDS
- CD TEXT
- 6 DISC

CD-7977R

(KRC-779R+KDC-C717)



- D-MASK System
- DD-RW
- 47Wx4 MAX POWER
- 2 RCA PRESETS
- RDS
- CD TEXT
- 10 DISC

CD-5947R

(KRC-579R+KDC-C467)



- D-MASK System
- DD-RW
- 45Wx4 MAX POWER
- 2 RCA PRESETS
- RDS
- CD TEXT
- 6 DISC

CD-3947R

(KRC-379R+KDC-C467)



- TDF System
- DD-RW
- 40Wx4 MAX POWER
- 1 RCA PRESETS
- RDS
- CD TEXT
- 6 DISC

CD-2947RA/RG

(KRC-279RA/RG+KDC-C467)



- TDF System
- dB DROPT
- DD-RW
- 40Wx4 MAX POWER
- 1 RCA PRESETS
- RDS
- CD TEXT
- 10 DISC

▶ Power Amplifiers

KAC-PS501F

High Performance 4-channel Power Amplifier



- MAX POWER 150W X4
- B.M.S.
- POWER SLIDE
- SIGMA SERVO
- INFRA FILTER
- MOS FET
- TRI MODE
- HIGH PASS FILTER
- LOW PASS FILTER
- BRIDGED
- LINE OUT
- 2 OHM CAPAB

KAC-PS401M

High Performance Monaural Power Amplifier



- MAX POWER 1200W X1
- B.M.S.
- POWER SLIDE
- SIGMA SERVO
- INFRA FILTER
- MOS FET
- LOW PASS FILTER
- LINE OUT
- 2 OHM CAPAB

KAC-PS301T

High Performance 2-channel Power Amplifier



- MAX POWER 200W X2
- B.M.S.
- POWER SLIDE
- INFRA FILTER
- MOS FET
- TRI MODE
- HIGH PASS FILTER
- LOW PASS FILTER
- BRIDGED
- LINE OUT
- 2 OHM CAPAB

KAC-PS201T

High Performance 2-channel Power Amplifier



- MAX POWER 150W X2
- B.M.S.
- POWER SLIDE
- INFRA FILTER
- MOS FET
- TRI MODE
- HIGH PASS FILTER
- LOW PASS FILTER
- BRIDGED
- LINE OUT
- 2 OHM CAPAB

KAC-959

High Quality 5-channel Power Amplifier



- MAX POWER 120W X4 + 300W
- SP LEVEL INPUT
- INFRA FILTER
- MOS FET
- HIGH PASS FILTER
- LOW PASS FILTER
- BRIDGED
- 2 OHM CAPAB

KAC-929

High Quality 2-channel Power Amplifier



- MAX POWER 1000W
- SP LEVEL INPUT
- MOS FET
- TRI MODE
- HIGH PASS FILTER
- LOW PASS FILTER
- BRIDGED
- 2 OHM CAPAB

KAC-849

High Quality 4-channel Power Amplifier



- MAX POWER 150W X4
- SP LEVEL INPUT
- MOS FET
- TRI MODE
- HIGH PASS FILTER
- LOW PASS FILTER
- BRIDGED
- LINE OUT
- 2 OHM CAPAB

KAC-819

High Quality Monaural Amplifier



- MAX POWER 300W X1
- SP LEVEL INPUT
- SIGMA SERVO
- INFRA FILTER
- MOS FET
- LOW PASS FILTER
- 2 OHM CAPAB

KAC-749S

4-channel Amplifier



- MAX POWER 120W X4
- SP LEVEL INPUT
- MOS FET
- TRI MODE
- HIGH PASS FILTER
- LOW PASS FILTER
- BRIDGED
- LINE OUT
- 2 OHM CAPAB

KAC-729S

2-channel Power Amplifier



- MAX POWER 300W X2
- SP LEVEL INPUT
- MOS FET
- TRI MODE
- LOW PASS FILTER
- BRIDGED
- 2 OHM CAPAB

KAC-649S

4-channel Amplifier



- MAX POWER 80W X4
- SP LEVEL INPUT
- MOS FET
- TRI MODE
- HIGH PASS FILTER
- LOW PASS FILTER
- BRIDGED
- LINE OUT
- 2 OHM CAPAB

KAC-629S

2-channel Power Amplifier



- MAX POWER 150W X2
- SP LEVEL INPUT
- MOS FET
- TRI MODE
- HIGH PASS FILTER
- LOW PASS FILTER
- BRIDGED
- 2 OHM CAPAB

KAC-529S

2-channel Power Amplifier



- MAX POWER 120W X2
- SP LEVEL INPUT
- MOS FET
- TRI MODE
- LOW PASS FILTER
- BRIDGED
- 2 OHM CAPAB

▶ Woofers

KFC-WS303 300mm



800W P.P.A.R. POWER
SMALL ENCLOSURE

KFC-WS253 250mm



800W P.P.A.R. POWER
SMALL ENCLOSURE

KFC-WF303 300mm



800W P.P.A.R. POWER
FACE KIT

KFC-WF253 250mm



500W P.P.A.R. POWER
FACE KIT

KFC-W3003 300mm



800W P.P.A.R. POWER

KFC-W2503 250mm



500W P.P.A.R. POWER

KFC-W2003G 200mm



400W P.P.A.R. POWER

KFC-W1703 170mm



240W P.P.A.R. POWER
SMALL ENCLOSURE

KSC-WA82RC



100W x 2
MAX. POWER

KSC-WA100



100W P.P.A.R. POWER

KSC-WA62RC



100W x 2
MAX. POWER

▶ Regular Series

KFC-P703 Package Systems



170W P.P.A.R. POWER
2 way COMPO.
ADJUST DIRECTION

KFC-P602 Package Systems



150W P.P.A.R. POWER
2 way COMPO.
ADJUST DIRECTION

KFC-P503 Package Systems



170W P.P.A.R. POWER
2 way COMPO.
ADJUST DIRECTION

KFC-P403 Package Systems



170W P.P.A.R. POWER
2 way COMPO.
ADJUST DIRECTION

KFC-7178 7"x10"



240W P.P.A.R. POWER
3 way 3 SPEAKERS

KFC-6908 6"x9"



220W P.P.A.R. POWER
4 way 4 SPEAKERS

KFC-6907 6"x9"



200W P.P.A.R. POWER
3 way 4 SPEAKERS

KFC-6905 6"x9"



170W P.P.A.R. POWER
2 way 2 SPEAKERS

KFC-6904 6"x9"



140W P.P.A.R. POWER
DUAL CORE

KFC-1787 170mm



220W P.P.A.R. POWER
3 way 3 SPEAKERS

KFC-1777 170mm



100W P.P.A.R. POWER
2 way 2 SPEAKERS

KFC-4675 4"x6"



170W P.P.A.R. POWER
2 way 2 SPEAKERS

KFC-1387 130mm



140W P.P.A.R. POWER
3 way 3 SPEAKERS

KFC-1377 130mm



120W P.P.A.R. POWER
2 way 2 SPEAKERS

KFC-1077 100mm



80W P.P.A.R. POWER
2 way 2 SPEAKERS

▶ Tweeters

KFC-HQT14 19mm



200W P.P.A.R. POWER
ADJUST DIRECTION

KFC-T204 19mm



170W P.P.A.R. POWER
ADJUST DIRECTION

KFC-ST30 20mm



120W P.P.A.R. POWER

▶ PSR Series

KFC-PSR70P Package Systems



200W P.P.A.R. POWER
2 way COMPO.
ADJUST DIRECTION

KFC-PSR50P Package Systems



100W P.P.A.R. POWER
2 way COMPO.
ADJUST DIRECTION

KFC-PSR901 6"x9"



200W P.P.A.R. POWER
2 way 2 SPEAKERS

KFC-PSR700 165mm



200W P.P.A.R. POWER
2 way 2 SPEAKERS

KFC-PSR500 130mm



100W P.P.A.R. POWER
2 way 2 SPEAKERS

KFC-PSR400 100mm



100W P.P.A.R. POWER
2 way 2 SPEAKERS

▶ HQ/DB Series

KFC-W1240DB 300mm



1000W P.P.A.R. POWER
PBO

KFC-W1004DB 250mm



800W P.P.A.R. POWER
PBO

KFC-HQ718 7"x10"



320W P.P.A.R. POWER
3 way 3 SPEAKERS
PBO

KFC-HQ698 6"x9"



300W P.P.A.R. POWER
3 way 3 SPEAKERS
PBO

KFC-HQ167DB 160mm



220W P.P.A.R. POWER
2 way 2 SPEAKERS
PBO

KFC-HQ137DB 130mm



100W P.P.A.R. POWER
2 way 2 SPEAKERS
PBO

▶ Marine Speaker System

KFC-1651MRW 160mm



220W P.P.A.R. POWER
MARINE

Visual

KVT-920DVD* Indash 6.5" Wide TV with DVD Player



[GENERAL FEATURES] ● MASK with MASK key Lock System ● 6.5 inch Wide Colour TFT Active Matrix Display ● Interactive Touch Panel Control with New GUI ● RGB Input for Navigation System **[TV FEATURES]** ● PLL Synthesized T Tuner (PAL B / G / D / I, SECAM) ● 12 TV Station Presets ● Auto Memory Entry **[AV FEATURES]** ● 1 RCA AV Output ● 2 RCA AV Inputs ● 1 Optical Digital Output ● Max. Output Power: 45W x 4 ● System E+s ● Gold Plated 3 Preouts with 4V Output Level ● 2-Zone Source & Volume Control

LZ-701W* ON-DASH 7" Wide Monitor



[GENERAL FEATURES] ● 7" Wide TFT Display ● Display Mode Selector (Normal / Full / Zoom / Just / Cinema) **[AV FEATURES]** ● 1 AV Input (RCA) ● 1 AV Output (RCA)

KVC-1000 Indash 6.5" Wide TV



[GENERAL FEATURES] ● MASK with MASK key Lock System ● 6.5 inch Wide Colour TFT Active Matrix Display ● Full Motorized Mechanism ● Graphical User Interface with Touch Screen Control ● Built-in Active Speaker ● Supplied with Remote Control Unit **[TV FEATURES]** ● PLL Synthesized TV Tuner (PAL B / G / I and SECAM L / D / K / B / G) ● TV1 / TV2: 12 Presets ● Auto Memory Entry ● Auto Seek ● Direct Access Tuning with Remote ● SNPS (Station Name Presets) ● Supplied with TV Antenna **[AV FEATURES]** ● Front AV Input ● Rear AV Input / Output (Switchable)

KNA-DV2200* High Performance DVD Navigation



● High capacity of 8.5GB offered by dual-layered DVD-RDM contains pan Europe database in single disc ● 64 bit BUS RISC CPU for high speed search and response ● Touch panel control with Kenwood monitor for easy and safely operation. ● Voice guidance ● Address search, P.O.I. search, Memory point search, Previous Destination search, Post code search, Motor way exit/extrance search, Intersection search

KSC-900CTR* Active Centre Speaker Unit



[Speaker] ● 2-Way 2-Speaker System ● DualMags ● 70mm x 40mm Oval-shaped Woofer ● 20mm Soft Dome Tweeter ● Peak Input Power: 60W ● Mounting Bracket with Detachable Security System **[HIDE-AWAY AMP]** ● Max. Power: 35W ● RCA Input Terminal from DSP Unit ● Supplied with RCA Cable(6m), Power Cable(3m) and Speaker Cable(3m)

C929* 10-Disc CD Changer with CD Text



● CD-R/RW ● D.R.I.V.E. ● CD TEXT ● 10 DISC ● D.R.I.V.E. system for clear and natural digital sound ● 0 bit mute ● Optical Output ● CD-R/RW capability ● CD Text (with compatible KENWOOD units) ● DNPS (100 disc naming with compatible KENWOOD units) ● Integrated quad 1-bit D/A converter ● 8 times over-sampling digital filter ● 3 angle mounting ● Repeat play (Disc/Track) ● Scan (Disc/Track) ● Random play (Track/Magazine) ● Optional spare 10-disc magazine: KCA-M112 / M112C

KDS-P900* 5.1 Channel DSP Unit



● 5.1 Channel Dolby Digital DVD Decode ● 5.1 Channel dtsDVD Decode ● 5.1 Channel dtsCD Decode ● MPEG DVD Decode ● 5.1 Channel Dolby Prologic Decode(1s 44.1kHz, 48kHz) ● Digital Time Alignment & Listening Position Control

KVA-S300* AV Selector / Distributor



● 3 AV Input ● 3 AV Output ● Integrated Video Signal Booster ● Reverse Gear Sensor for Rear View Camera ● Headphone Output with Volume Control

KTC-1000R Tuner Amplifier with RDS and CD/MD Changer Control



● RDS Receiver for KVC-1000 ● Auto Dimmer ● 2-way Telephone Mute ● Digital Clock (12 hour)

* Market introduction summer 2001

Variable Illumination

Kenwood's variable illumination can give your car interior a simpler atmosphere, lend it a luxurious mood or create an original statement.

The strict conservative wants to precisely coordinate the illumination of the car audio system with the dashboard lighting. The creative individual seeks the freedom to dismiss conventional amber or green, and select an original color that expresses their personality. Perhaps you have wondered about different colour illumination for day and night. Our new variable illumination technology answers all these desires, and makes it easy to fine tune the setting of any colour desired. With Kenwood, you will see your car audio system in an entirely different light.

KDC-V7090R CD Receiver with RDS and CD/MD Changer Control



D MASK ● Display Data Output ● System ● 47W Max Power ● 2 RCA PRESETS ● RDS ● K31 ● MASK KEY

KDC-4590RV/RVY CD Receiver with RDS and CD/MD Changer Control



TDF ● System ● 47W Max Power ● 2 RCA PRESETS ● RDS ● WHITE LED

KDC-4590RV/RVY only available with blue illumination

KRC-V879R Cassette Receiver with RDS and CD/MD Changer Control



D MASK ● Display Data Output ● System ● 47W Max Power ● 2 RCA PRESETS ● DOLBY B ● RDS ● K31 ● MASK KEY

KDC-V6090R CD Receiver with RDS and CD/MD Changer Control



D MASK ● Display Data Output ● System ● 47W Max Power ● 2 RCA PRESETS ● RDS ● K31

KRC-V679R Cassette Receiver with RDS and CD/MD Changer Control



D MASK ● Display Data Output ● System ● 47W Max Power ● 2 RCA PRESETS ● DOLBY B ● RDS ● K31

► S Series

KFC-1768S 170mm
EUROSIZE
140W P.P.A.S. POWER
Dual-Cone



KFC-1758S 170mm
EUROSIZE
140W P.P.A.S. POWER
Dual-Cone



KFC-1368S 130mm
110W P.P.A.S. POWER
2 way 2speakers



KFC-1358S 130mm
110W P.P.A.S. POWER
Dual-Cone



KFC-1068S 100mm
90W P.P.A.S. POWER
2 way 2speakers



KFC-1058S 170mm
90W P.P.A.S. POWER
Dual-Cone



► Custom Fit

KFC-PSR467C 4"x6"
80W P.P.A.S. POWER
2 way 2speakers



KFC-PSR177C 170mm
EUROSIZE
200W P.P.A.S. POWER
2 way 2speakers



KFC-PSR137C 130mm
100W P.P.A.S. POWER
2 way 2speakers



KFC-PSR108C 100mm
100W P.P.A.S. POWER
2 way 2speakers



KFC-PSR107C 100mm
100W P.P.A.S. POWER
2 way 2speakers



KFC-HQ688C 6"x8"
220W P.P.A.S. POWER
2 way 2speakers



KFC-P727EC
EUROSIZE
100W P.P.A.S. POWER
2 way COMPO.



KFC-P726EC
EUROSIZE
120W P.P.A.S. POWER
2 way COMPO.



KFC-P725EC
90W P.P.A.S. POWER
2 way COMPO.



KFC-P724EC
90W P.P.A.S. POWER
2 way COMPO.



KFC-P723EC
EUROSIZE
90W P.P.A.S. POWER
2 way COMPO.



KFC-P523EC
140W P.P.A.S. POWER
2 way COMPO.



KFC-6808C 6"x8"
200W P.P.A.S. POWER
3 way 3speakers



KFC-5708C 5"x7"
140W P.P.A.S. POWER
2 way 2speakers



KFC-4625C 4"x6"
90W P.P.A.S. POWER
2 way 2speakers



KFC-1738C 170mm
EUROSIZE
100W P.P.A.S. POWER
3 way 3speakers



KFC-1728C 170mm
EUROSIZE
140W P.P.A.S. POWER
2 way 2speakers



KFC-1718C 170mm
EUROSIZE
140W P.P.A.S. POWER
Dual-Cone



KFC-1337C 130mm
90W P.P.A.S. POWER
2 way 2speakers



KFC-1328C 130mm
110W P.P.A.S. POWER
2 way 2speakers



KFC-1318C 130mm
110W P.P.A.S. POWER
Dual-Cone



KFC-1028C 100mm
90W P.P.A.S. POWER
2 way 2speakers



KFC-1022C 100mm
90W P.P.A.S. POWER
2 way 2speakers



KFC-1018C 100mm
90W P.P.A.S. POWER
Dual-Cone



KFC-1012C 100mm
90W P.P.A.S. POWER
Dual-Cone



KFC-820EC 87mm
40W P.P.A.S. POWER
2 way 2speakers



KFC-835C 87mm
40W P.P.A.S. POWER
Dual-Cone



KFC-87E 87mm
30W P.P.A.S. POWER
2 way 2speakers

