


ARVIN CAR RADIO CHASSIS RE45




RESISTORS		CONDENSERS		CHOKES & TRANSFORMERS		MISCELLANEOUS UNITS		
QTY	PART NO.	C	CAPACITY (VOLTS)	T	TYPE	SYMBOL	DESCRIPTION	PART NO.
1	500P	1	20T0	1	ANTENNA COIL	F	FUSE - 20 AMP	17-2228
1	1M	1	100P	2	INDUCTOR COIL	L	DIAL LIGHT BALL	17-2804
43	25K	1	100P	3	FIRST I.F. COIL	SP	SPARKER ASSEMBLY	17-1823
1	100K	1	100P	4	SECOND I.F. COIL	SW	POWER SWITCH	17-1825
1	100K	1	100P	5	POWER TRANS.	TL	TRANSFORMER LINE	00-1823
1	100K	1	100P	6	OUTPUT TRANS.	VIB	VIBRATOR	17-1827
1	100K	1	100P	7	CHOKES			
1	100K	1	100P	8	SUPPRESSION CHOKES			
1	100K	1	100P	9	SUPPRESSION CHOKES			

IF PEAK 455 KC
FREQUENCY RANGE 1575 TO 540 K.C.
NOBLITT-SPARKS INDUSTRIES, INC.,
COLUMBUS, INDIANA

Arvin Models 8-A and RE-45

ARVIN CAR RADIO CHASSIS RE46



RESISTORS		CONDENSERS		CHOKES & TRANSFORMERS		MISCELLANEOUS UNITS		
QTY	PART NO.	C	CAPACITY (VOLTS)	T	TYPE	SYMBOL	DESCRIPTION	PART NO.
1	500P	1	20T0	1	ANTENNA COIL	F	FUSE - 20 AMP	17-2228
1	1M	1	100P	2	INDUCTOR COIL	L	DIAL LIGHT BALL	17-2804
43	25K	1	100P	3	FIRST I.F. COIL	SP	SPARKER ASSEMBLY	17-1823
1	100K	1	100P	4	SECOND I.F. COIL	SW	POWER SWITCH	17-1825
1	100K	1	100P	5	POWER TRANS.	TL	TRANSFORMER LINE	00-1823
1	100K	1	100P	6	OUTPUT TRANS.	VIB	VIBRATOR	17-1827
1	100K	1	100P	7	CHOKES			
1	100K	1	100P	8	SUPPRESSION CHOKES			
1	100K	1	100P	9	SUPPRESSION CHOKES			

INTERMEDIATE FREQUENCY 170 K.C.
FREQUENCY RANGE 670 TO 540 K.C.
NOBLITT-SPARKS INDUSTRIES, INC.,
COLUMBUS, INDIANA

NOTE - ALL VOLTAGES GIVEN FOR 'A' INPUT 6 VOLTS. ALLOW 10% ON ALL VOLTAGES & RESISTANCES OF WINDING.